



|  |   |
|--|---|
| <a href="#">Methods for evaluating the effectiveness of home oral hygiene measures – a narrative review of dental biofilm indices</a>  | Dent J 2023; 11 (7)                                 |
| <a href="#">Correlation between different plaque indexes and bleeding on probing: A concurrent validity study</a>  | J Clin Exp Dent 2023; 15 (1): e9-e16                |
| <a href="#">Effect of an herbal mouthwash on periodontal indices in patients with plaque-induced gingivitis: a cross-over clinical trial</a>   | J Adv Periodontol Impl Dent 2022; 14 (2): 109-113   |
| <a href="#">Association between periodontitis and periodontal indices in newly diagnosed bronchial asthma</a>  | J Adv Periodontol Impl Dent 2022; 14 (2): 97-103    |
| <a href="#">Selfie dental plaque index: A new tool for dental plaque assessment</a>  | J Clin Exp Dent 2022; 14 (11): e926-e931            |
| <a href="#">Correlations between periodontal indices and osteoporosis</a>  | Exp Ther Med 2022; 23 (4): 254                      |
| <a href="#">BSP implementation of the 2017 classification of periodontal diseases: a practice retrospective</a>  | BDJ 2022; 233:<br>doi.org/10.1038/s41415-022-5220-8 |
| Visible occlusal plaque index predicting caries lesion activity [can be accessed on DOSS free by logging in <a href="#">on this page</a> ]   | J Dent Res 2022; 101 (8): 905-911                   |
| How do periodontal indices compare among non-smokers, tobacco and e-cigarette smokers? [Log in to the <a href="#">BDA home page</a> and follow the link to the BDJ and then EBD to access]   | EBD 2022; 23 (3): 116-117                           |
| <a href="#">Evaluation of periodontal indices among non-smokers, tobacco, and e-cigarette smokers: a systematic review and network meta-analysis</a>   | Clin Oral Investig 2022; 26 (7): 4701-4717          |
| Systemic immune-inflammation index in patients with generalized stage III grade C periodontitis [Accessible from the Wiley link <a href="#">on this page</a> ]   | Oral Dis 2022; Aug 01                               |
| <a href="#">Agreement among international periodontal experts using the 2017 World Workshop classification of periodontitis</a>  | J Periodontol 2021; 92 (12): 1675-86                |
| Implementing the 2017 Classification of Periodontal and Peri-Implant Diseases - how are we doing in the South West region of the UK? [Log in to the <a href="#">BDA home page</a> and follow the link to the BDJ to access]                          | BDJ 2021; 231:<br>doi.org/10.1038/s41415-021-3716-2 |
| <a href="#">BSP implementation of European S3 - level evidence-based treatment guidelines for stage I-III periodontitis in UK clinical practice</a>  | J Dent 2021; (106): 103562                          |
| <a href="#">Discrepancies in periodontitis classification among dental practitioners with different educational backgrounds</a>  | BMC Oral Health 2021; (21): 39                      |
| <a href="#">Evaluation of the effect of ultra-soft toothbrushes with different commercial brands on plaque and bleeding indices</a>  | J Dent 2021; 22 (1): 63-5+9                         |
| <a href="#">Evaluating the effect of probiotic supplementation in the form of mouthwash along with scaling and root planing on periodontal indices in patients with stage III and grade A generalized periodontitis: A randomized clinical trial</a> | J Adv Periodontol Impl Dent 2020; 12 (2): 73-78     |
| <a href="#">An epidemiological study to assess periodontal status among sugar factory workers of Karad taluka using community periodontal index</a>  | J Family Med Prim Care 2020; 9 (7): 3480-3486       |



|  |   |
|--|---|
| *****  | *****   |
| Periodontal diagnosis in the context of the BSP Implementation Plan for the 2017 Classification System of Periodontal Diseases and Conditions – Presentation of a patient with severe periodontitis following successful periodontal therapy and supportive periodontal treatment [Log in to the <a href="#">BDA home page</a> and follow the link to the BDJ to access] | Br Dent J 2019; 226(6): 411-413                     |
| Periodontal diagnosis in the context of the BSP Implementation Plan for the 2017 Classification System of Periodontal Diseases and Conditions – Presentation of a patient with a history of periodontal treatment [Log in to the <a href="#">BDA home page</a> and follow the link to the BDJ to access]   | Br Dent J 2019; 226(4): 265-267                     |
| Periodontal diagnosis in the context of the 2017 Classification System of Periodontal Diseases and Conditions – Presentation of a patient with periodontitis localised to the molar teeth [Log in to the <a href="#">BDA home page</a> and follow the link to the BDJ to access]   | Br Dent J 2019; 226(3): 180-182                     |
| Periodontal diagnosis in the context of the 2017 Classification System of Periodontal Diseases and Conditions – Presentation of a middle-aged patient with localised periodontitis [Log in to the <a href="#">BDA home page</a> and follow the link to the BDJ to access]  | Br Dent J 2019; 226(2): 98-100                      |
| Periodontal diagnosis in the context of the BSP Implementation Plan for the 2017 Classification System of Periodontal Diseases and Conditions – Presentation of a pair of young siblings with periodontitis [Log in to the <a href="#">BDA home page</a> and follow the link to the BDJ to access]   | Br Dent J 2019; 226(1): 23-26                       |
| Periodontal diagnosis in the context of the 2017 Classification System of Periodontal Diseases and Conditions – implementation in clinical practice [Log in to the <a href="#">BDA home page</a> and follow the link to the BDJ to access]   | Br Dent J 2019; 226(1): 16-22                       |
| <a href="#">A new classification scheme for periodontal and peri-implant diseases and conditions – introduction and key changes from the 1999 classification</a>   | J Clin Periodontol 2018; 45(suppl 20): S1-S8        |
| Clinical instruments and methods for assessing physical oral health: a systematic review [Accessible from the Wiley link <a href="#">on this page</a> ]  | Community Dent Oral Epidemiol 2017; 45 (4): 337-347 |
| <a href="#">A new screening method for periodontitis: an alternative to the community periodontal index</a>  | BMC Oral Health 2016; (16): 64                      |
| <a href="#">Correlation between periodontal disease indices and lung cancer in Greek adults: a case-control study</a>  | Exp Oncol 2016; 38(1): 49-53                        |
| BPE Guidelines: British Society of Periodontology Revision 2016 (request using <a href="https://www.smartsurvey.co.uk/s/PJHMY/">https://www.smartsurvey.co.uk/s/PJHMY/</a> )   | Dent Update 2016 <u>43</u> (5) 406-408              |
| Lipid peroxidation levels and total oxidant/antioxidant status in serum and saliva from patients with chronic and aggressive periodontitis. Oxidative stress index: a new biomarker for periodontal disease? [Accessible from the Wiley link <a href="#">on this page</a> ]  | J Periodontol 2014; 85 (10): 1432-1441              |
| <a href="#">Comparison between rapid and slow palatal expansion: evaluation of selected periodontal indices</a>  | Head Face Med 2014; (10): 30                        |



|  |  |
|--|--|
| An evidenced-based scoring index to determine the periodontal prognosis on molars [Accessible from the Wiley link <a href="#">on this page</a> ]   | J Periodontol 2014; 85(2): 214-225                   |
| Assessing periodontitis in populations: a systematic review of the validity of partial-mouth examination protocols [Accessible from the Wiley link <a href="#">on this page</a> ]  | J Clin Periodontol 2013 <u>40</u> (12) 1064-1071     |
| <a href="#">Effects of smoking and genotype on the PSR index of periodontal disease in adults aged 18-49</a>   | Int J Environ Res Public Health 2012; (9): 2839-2850 |
| <a href="#">Indices for measuring periodontitis: a literature review</a>   | Int Dent J 2011 (61): 76-84                          |
| <a href="#">Periodontal status of orthodontic patients and the relationship between dental aesthetic index and community periodontal index of treatment need</a> [free to members on Science Direct. If you do not have a login email <a href="mailto:library@bda.org">library@bda.org</a> to request one] | Am J Orthod Dentofac Orthop 2003 <u>124</u> 714-720  |
| Teaching periodontal pocket charting to dental students: a comparison of computer assisted learning and traditional tutorials [Log in to the <a href="#">BDA home page</a> and follow the link to the BDJ to access]   | BDJ 2003 <u>195</u> (6) 333-6                        |
| Comparison of the Bleeding on Marginal Probing Index and the Eastman Interdental Bleeding Index as indicators of gingivitis [Accessible from the Wiley link <a href="#">on this page</a> ]   | J Clin Periodontol 2002 <u>29</u> (3) 195-200        |
| Intra-examiner reproducibility of 4 dental plaque indices [Accessible from the Wiley link <a href="#">on this page</a> ]   | J Clin Periodontol 2001 <u>28</u> (3) 250-4          |
| <a href="#">The periodontal disease classification system of the American Academy of Periodontology – an update</a>  | J Can Dent Assoc J 2000 <u>66</u> 594-7              |
| Evaluation of a mucosal-plaque index (MPS) designed to assess oral care in groups of elderly [Accessible from the Wiley link <a href="#">on this page</a> ]  | Special Care in Dentistry 1999 <u>19</u> (4) 154-7   |
| Self-reporting of periodontal health status [Log in to the <a href="#">BDA home page</a> and follow the link to the BDJ to access]   | Br Dent J 1999 186 (5) 241-4                         |
| The achievement and maintenance of inter-examiner consistency in the assessment of plaque and gingivitis during a multicentre study based in general dental practices [Accessible from the Wiley link <a href="#">on this page</a> ]   | J Clin Periodont 1997 <u>24</u> (3) 183-188          |
| A comparison of partial and full mouth scoring of plaque and gingivitis in oral hygiene studies [Accessible from the Wiley link <a href="#">on this page</a> ]   | J Clin Periodontol 1995 <u>22</u> (2) 131-5          |
| Relationship between CPITN and periodontal attachment loss findings in an adult population [Accessible from the Wiley link <a href="#">on this page</a> ]  | J Clin Periodontol 1995 <u>22</u> (2) 146-52         |
| Periodontology: a clinical approach. 1. Periodontal examination and screening (request using <a href="https://www.smartsurvey.co.uk/s/PJHMOV/">https://www.smartsurvey.co.uk/s/PJHMOV/</a> )   | Br Dent J 1995 <u>178</u> (5) 185-9                  |
| A review of the role of epidemiology and the use of indices in periodontal research (request using <a href="https://www.smartsurvey.co.uk/s/PJHMOV/">https://www.smartsurvey.co.uk/s/PJHMOV/</a> )   | Primary Dent Care 1994 <u>1</u> (1) 14-19            |
| CPITN - interpretations and limitations (request using <a href="https://www.smartsurvey.co.uk/s/PJHMOV/">https://www.smartsurvey.co.uk/s/PJHMOV/</a> )   | Int Dent J 1994 <u>44</u> (5 Supp 1) 533-546         |
| Validity and relevance of the criteria of the CPITN (request using <a href="https://www.smartsurvey.co.uk/s/PJHMOV/">https://www.smartsurvey.co.uk/s/PJHMOV/</a> )   | Int Dent J 1994 <u>44</u> (5 Supp 1) 527-532         |



|   |   |
|---|---|
| Global results: 15 years of CPITN epidemiology (request using <a href="https://www.smartsurvey.co.uk/s/PJHMV/">https://www.smartsurvey.co.uk/s/PJHMV/</a> )   | Int Dent J 1994 <u>44</u> (5 Supp 1) 553-560        |
| A socio-ecologic model for periodontal disease [can be accessed on DOSS free by logging in <a href="#">on this page</a> ]   | J Clin Periodontol 1993 <u>20</u> (8) 584-590       |
| Profiles of periodontal conditions in older age cohorts, measured by CPITN (request using <a href="https://www.smartsurvey.co.uk/s/PJHMV/">https://www.smartsurvey.co.uk/s/PJHMV/</a> )   | Int Dent J 1992 <u>42</u> (1) 23-30                 |
| The use of the CPITN to monitor the outcome of periodontal treatment in a dental hospital setting (request using <a href="https://www.smartsurvey.co.uk/s/PJHMV/">https://www.smartsurvey.co.uk/s/PJHMV/</a> )                              | Br Dent J 1992 <u>172</u> (10) 374-377              |
| Periodontal condition of pregnant women assessed By CPITN [can be accessed on DOSS free by logging in <a href="#">on this page</a> ]  | J Clin Periodontol 1991 <u>18</u> (10) 751-754      |
| Changes in the community periodontal index of treatment needs (CPITN) after periodontal treatment in a general dental practice (request using <a href="https://www.smartsurvey.co.uk/s/PJHMV/">https://www.smartsurvey.co.uk/s/PJHMV/</a> ) | Br Dent J 1991 <u>171</u> (11/12) 363-366           |
| Community periodontal index of treatment needs (CPITN) - a review of the literature (request using <a href="https://www.smartsurvey.co.uk/s/PJHMV/">https://www.smartsurvey.co.uk/s/PJHMV/</a> )  | J Dent Assoc Sth Afr 1989 <u>44</u> 35-38           |
| Clinical index systems used to assess the efficacy of mouthrinses on plaque and gingivitis [can be accessed on DOSS free by logging in <a href="#">on this page</a> ]   | J Clin Periodontol 1988 <u>15</u> (8) 506-510       |
| Testing reliability of plaque and gingival indices: two methods [can be accessed on DOSS free by logging in <a href="#">on this page</a> ]  | J Periodontol 1988 <u>59</u> (4) 270-273            |
| An assessment of the validity of the WHO periodontal probe for use with the Community Periodontal Index of Treatment Needs (request using <a href="https://www.smartsurvey.co.uk/s/PJHMV/">https://www.smartsurvey.co.uk/s/PJHMV/</a> )     | Br Dent J 1988 <u>165</u> (1) 18-21                 |
| The suitability of three periodontal indices for epidemiological studies conducted for planning purposes (request using <a href="https://www.smartsurvey.co.uk/s/PJHMV/">https://www.smartsurvey.co.uk/s/PJHMV/</a> )                       | Comm Dent Health 1988 <u>5</u> 113-119              |
| Periodontal disease in partial denture wearers - a biological index [can be accessed on DOSS free by logging in <a href="#">on this page</a> ]  | J Oral Rehabil 1987 <u>14</u> (2) 111-124           |
| Use of CPITN cross-tabulation - a research perspective (request using <a href="https://www.smartsurvey.co.uk/s/PJHMV/">https://www.smartsurvey.co.uk/s/PJHMV/</a> )   | Int Dent J 1987 <u>37</u> 173-178                   |
| Representativeness of the "Ramfjord Teeth" for epidemiologic studies of gingivitis and periodontitis [can be accessed on DOSS free by logging in <a href="#">on this page</a> ]   | Comm Dent Oral Epidemiol 1987 <u>15</u> (4) 221-224 |
| Current status of indices of gingivitis [can be accessed on DOSS free by logging in <a href="#">on this page</a> ]  | J Clin Periodontol 1986 <u>13</u> (5) 375-378       |
| Indices used to evaluate signs, symptoms and etiologic factors associated with diseases of the periodontium [can be accessed on DOSS free by logging in <a href="#">on this page</a> ]  | J Periodontol 1986 <u>57</u> (10) 643-651           |
| Comparison of the Periodontal Index (PI) and Community Periodontal Index of Treatment Needs (CPITN) [can be accessed on DOSS free by logging in <a href="#">on this page</a> ]  | Comm Dent Oral Epidemiol 1986 <u>14</u> (1) 39-42   |



A periodontitis severity index [can be accessed on DOSS free by logging in [on this page](#)]

J Periodontol 1986 57 (3) 176-179

A simplified periodontal screening examination: the community periodontal index of treatment needs (WHO) in general Practice (request using <https://www.smartsurvey.co.uk/s/PJHMV/>)

Int Dent J 1984 34 28-34