



Effect of lemon essential oil on halitosis [Accessible from the Wiley link [on this page](#)] Oral Diseases 2023; 29 (4): 1845-54

[The aetiology and associations of halitosis: a systematic review](#) Oral Diseases 2022; online 25 Feb doi.org/10.1111/odi.14172

The association between halitosis and chemosensory disorders: A systematic review [Accessible from the Wiley link [on this page](#)] Oral Dis 2021 Mar 04

[“Say ahhh”: Experience and views on halitosis management in the general public in Victoria, Australia](#) Int Dent J 2021 Feb 18

Microbiome variations in preschool children with halitosis [Accessible from the Wiley link [on this page](#)] Oral Dis 2021; 27(4): 1059-1068

[Effect of essential oils on oral halitosis treatment: a review](#) Eur J Oral Sci 2020; 128(6): 476-486

Psychological characteristics of Chinese patients with genuine halitosis [Accessible from the Wiley link [on this page](#)] Oral Dis 2020; 26(7): 1576-1585

Periodontitis and self-reported halitosis among young adults from the 1982 Pelotas Birth Cohort [Accessible from the Wiley link [on this page](#)] Oral Dis 2020; 26(4): 843-846

Characterization of oral bacteria in the tongue coating of patients with halitosis using 16S rRNA analysis (request using <https://www.smartsurvey.co.uk/s/PJHMV/>) Acta Odontol Scand 2020; 78(7): 541-546

[High-quality systematic review shows that there is low-quality evidence regarding the effects of interventions to treat oral halitosis](#) J Am Dent Assoc 2020; 151(8): e61
[free to members on Science Direct. If you do not have a login email library@bda.org to request one]

Halitosis: prevalence, risk factors, sources, measurement and treatment - a review of the literature [can be accessed on DOSS free by logging in [on this page](#)] Aust Dent J 2020; 65(1): 4-11

[Validation of the Brazilian version of the Halitosis Associated Life-Quality Test \(HALT\)](#) Braz Oral Res 2020; (34): e098

Are Lactobacillus salivarius G60 and inulin more efficacious to treat patients with oral halitosis and tongue coating than the probiotic alone and placebo? A randomized clinical trial [Accessible from the Wiley link [on this page](#)] J Perio 2020; 91(6): 775-783

Self-reported halitosis in a sample of Brazilians: Prevalence, associated risk predictors and accuracy estimates with clinical diagnosis [can be accessed on DOSS free by logging in [on this page](#)] J Clin Perio 2020; 47(2): 233-246

[Novel oral biomarkers predicting oral malodor](#) [free to members on Science Direct. If you do not have a login email library@bda.org to request one] Oral Surg Oral Med Oral Pathol 2020; 130: 667-74

The OralChroma™ CHM-2: a comparison with the OralChroma™ CHM-1 (request using <https://www.smartsurvey.co.uk/s/PJHMV/>) Clin Oral Invest 2020; 24(8): 2829-2836



Prevalence and relevant factors of halitosis in Chinese subjects: a clinical research	BMC Oral Health 2019; (19): 45
Correlation between halitosis, oral health status and salivary β-galactosidases and time spent in physical activities in children	Eur J Paediatr Dent 2018; (19): 260-264
Effect of rapid maxillary expansion on halitosis [free to members on Science Direct. If you do not have a login email library@bda.org to request one]	Am J Orthod Dentofac Orthop 2018; (154): 702-707
A current approach to halitosis and oral malodor – a mini review	Open Dent J 2018; (12): 322-330
Detection of halitosis in breath: between the past, present, and future	Oral Diseases 2018; (24): 685-695
Effects of fixed orthodontic brackets on oral malodour: a systematic review and meta-analysis according to the preferred reporting items to systematic reviews and meta-analyses guidelines	Medicine (Baltimore) 2018; (97): 14 (e0233)
The Halitosis Consequences Inventory: psychometric properties and relationship with social anxiety disorder	BDJ Open 2018; (4): 18002
Comparison of the psychological condition of Chinese patients with or without halitosis complaints	Chin J Dent Res 2018; (21): 69-76
Genuine halitosis in patients with dental and laryngological etiologies of mouth odor: severity and role of oral hygiene behaviors [can be accessed on DOSS free by logging in on this page]	Eur J Oral Sci 2018; 126(2): 101-109
Quality and readability of internet-based information on halitosis [free to members on Science Direct. If you do not have a login email library@bda.org to request one]	Oral Surg Oral Med Oral Pathol Oral Radiol 2018; (125): 215-222
Two mechanisms of oral malodour inhibition by zinc ions	J Appl Oral Sci 2018; (26): e20170161
Novel reuterin-related compounds suppress odour by periodontopathic bacteria [can be accessed on DOSS free by logging in on this page]	Oral Diseases 2017; 23(4): 492-497
Assessment of the accuracy of portable monitors for halitosis evaluation in subjects without malodor complaint. Are they reliable for clinical practice?	J Appl Oral Sci 2017; 25(5): 559-565
Effect of antimicrobial photodynamic therapy and laser alone as adjunct to mechanical debridement in the management of halitosis: a systematic review [can be accessed on DOSS free by logging in on this page]	Quintessence Int 2017; 48(7): 575-583
Is periodontitis associated with halitosis? A systematic review and meta-regression analysis [can be accessed on DOSS free by logging in on this page]	J Clin Periodontol 2017; 44(10): 1003-1009
Subjective and objective halitosis among patients with Parkinson's disease [can be accessed on DOSS free by logging in on this page]	Gerodontology 2017; 34(4): 460-468
The effect of a chewing-intensive high-fiber diet on oral halitosis	Swiss Dent J SSO 2016; 126(9): 782-788
Self-reported halitosis and associated demographic and behavioral factors	Braz Oral Res 2016; 30(1): e71.1-e71.8



A new measurement protocol to differentiate sources of halitosis [can be accessed on DOSS free by logging in on this page]	Acta Odontol Scand 2016; 74(5): 380-384
The effect of periodontal therapy on intra-oral halitosis: a case series [can be accessed on DOSS free by logging in on this page]	J Clin Periodontol 2016; 43(5): 445-452
Factors associated with halitosis in white-collar employees in Shanghai, China	PLoS ONE 2016; 11(5): e0155592
A randomized, double-blind, crossover, placebo-controlled clinical trial to assess effects of the single ingestion of a tablet containing lactoferrin, lactoperoxidase, and glucose oxidase on oral malodor	BMC Oral Health 2016; (16): 37
Periodontal diseases as a source of halitosis: a review of the evidence and treatment approaches for dentists and dental hygienists [can be accessed on DOSS free by logging in on this page]	Periodontol 2000; 2016 71(1): 213-227
Changes of volatile sulphur compounds during therapy of a case series of patients with chronic periodontitis and halitosis [can be accessed on DOSS free by logging in on this page]	J Clin Periodontol 2016; 43(4): 359-365
Halitosis: Current concepts on etiology, diagnosis and management	Eur J Dent 2016; (10): 292-300
Resting salivary flow independently associated with oral malodor	BMC Oral Health 2016; [Epub] doi: 10.1186/s12903-016-0255-3
Clinical and radiographic evaluation of immediate loaded dental implants with local application of melatonin: A preliminary randomized controlled clinical trial	J Oral Implantol 2016; (42): 119-125
Halitosis and <i>helicobacter pylori</i> infection: A meta-analysis	Med 2016; 93(39): e4223
Effects of fixed and removable space maintainers on halitosis	BMC Oral Health 2016; (16): 99
Diagnostic value of halitosis examination methods [can be accessed on DOSS free by logging in on this page]	Compendium Continuing Educ Dent 2016; 37(3): 174-178
Self-perceived halitosis influences social interactions	BMC Oral Health 2016; (16): 31
The effect of fixed appliances on oral malodor from beginning of treatment till 1 year	BMC Oral Health 2016; (16): 14
Antimicrobial effectiveness of cetylpyridinium chloride and zinc chloride-containing mouthrinses on bacteria of halitosis and peri-implant disease [can be accessed on DOSS free by logging in on this page]	Int J Oral Maxillofac Implants 2015; 30(6): 1341-1347
The efficacy of two oral hygiene regimens in reducing oral malodour: A randomised clinical trial	Int Dent J 2015; (65): 292-302
Prevalence estimation of halitosis and its association with oral health-related parameters in an adult population of a city in North Italy [can be accessed on DOSS free by logging in on this page]	J Clin Periodontol 2015; 42(12): 1105-1114
Relationship between subjective halitosis and psychological factors	Int Dent J 2015; (65): 120-126
Diagnosis and treatment of patients with halitosis by dental hygienists and dentists in the Netherlands	Int Dent J 2015; (65): 65-70



Short-term effect of strontium- and zinc-containing toothpastes and mouthrinses on volatile sulphur compounds in morning breath: a randomized, double-blind, cross-over clinical study [can be accessed on DOSS free by logging in on this page]	Eur J Oral Sci 2015; 123(2): 72-79
Personality traits in patients with oral malodor	Bull Tokyo Dent Coll 2014; 55 (4): 233-239
Relationship between genuine and pseudohalitoses and social anxiety disorder [can be accessed on DOSS free by logging in on this page]	J Oral Rehab 2014; 41(11): 822-828
Attitudes towards individuals with halitosis: an online sectional survey of the Dutch general population [Log in to the BDA home page and follow the link to the BDJ to access]	Br Dent J 2014; (216): e8
Chewing gum containing allyl isothiocyanate from mustard seed extract is effective in reducing volatile sulfur compounds responsible for oral malodor (request using https://www.smartsurvey.co.uk/s/PJHMV/)	Am J Dent 2013; (26): 180-184
Treatment of oral malodor and periodontal disease using an antibiotic rinse (request using https://www.smartsurvey.co.uk/s/PJHMV/)	Gen Dent 2013; (July): 41-45
The effect of a mouthrinse containing chlorine dioxide in the clinical reduction of volatile sulfur compounds (request using https://www.smartsurvey.co.uk/s/PJHMV/)	Gen Dent 2013; (July): 46-49
Efficacy of different mouthrinse formulations in reducing oral malodour: a randomized clinical trial [can be accessed on DOSS free by logging in on this page]	J Clin Periodontol 2013; 40(5): 505-13
Antimicrobial efficacy of denture adhesives on some oral malodor-related microbes [can be accessed on DOSS free by logging in on this page]	Odontology 2013; 101(1): 103-107
Dimethylsulphidemia: The significance of dimethyl sulphide in extra-oral, blood borne halitosis [Log in to the BDA home page and follow the link to the BDJ to access]	Brit Dent J 2013; (214): e20
Comparison of different treatment modalities for oral halitosis [can be accessed on DOSS free by logging in on this page]	Acta Odontol Scand 2012; 70(3): 224-233
Clinical utility of a novel colorimetric chair side test for oral malodour	J Clin Periodontol 2012; 39(7): 645-650
Comparison between self-perceived and clinical oral malodor [free to members on Science Direct. If you do not have a login email library@bda.org to request one]	Oral Surg Oral Med Oral Pathol 2012; (113): 70-80
Character traits of malodor patients	Bull Tokyo Dent Coll 2011; 52 (3): 123-128
Influence of oral health and lifestyle on oral malodour	Int Dent J 2011; (61): 47-51
Clinical trial of oral malodor treatment in patients with periodontal diseases [can be accessed on DOSS free by logging in on this page]	J Periodontal Res 2011; 46(6): 722-729



Comparative effects of various commercially available mouthrinse formulations on oral malodour [can be accessed on DOSS free by logging in on this page]	Oral Diseases 2011; 17(2): 180-186
Association between oral malodour and psychological characteristics in subjects with neurotic tendencies complaining of halitosis	Int Dent J 2011; (61): 57-62
Oral malodour: its association with tongue coating and periodontal disease (request using https://www.smartsurvey.co.uk/s/PJHMV/)	Dent Health 2010; 49 (5): 6-9
The association of periodontal disease with oral malodour in a Japanese population [can be accessed on DOSS free by logging in on this page]	Oral Dis 2010; 16(7): 702-706
Oral malodorous compound activates mitochondrial pathway inducing apoptosis in human gingival fibroblasts [can be accessed on DOSS free by logging in on this page]	Clin Oral Invest 2010; 14(4): 367-373
A digital tongue imaging system for tongue coating evaluation in patients with oral malodour [can be accessed on DOSS free by logging in on this page]	Oral Diseases 2009; 15(8): 565-569
Clinical reliability of non-organoleptic oral malodour measurements [can be accessed on DOSS free by logging in on this page]	J Clin Periodontol 2009; 36(11): 964-969
Characteristics of 2000 patients who visited a halitosis clinic [can be accessed on DOSS free by logging in on this page]	J Clin Periodontol 2009; 36(11): 970-975
Prevalence of halitosis in the population of the city of Bern, Switzerland: a study comparing self-reported and clinical data [can be accessed on DOSS free by logging in on this page]	Eur J Oral Sci 2009; (117(3): 261-267
A new organoleptic testing method for evaluating halitosis [can be accessed on DOSS free by logging in on this page]	J Periodontol 2009 80(1): 93-97
Prevalence of halitosis in young male adults: a study in Swiss army recruits comparing self-reported and clinical data [can be accessed on DOSS free by logging in on this page]	J Periodontol 2009 80(1) 24-31
The relationship between alcohol consumption and oral malodor	Int Dent J 2009 (59) 31-34