



HYPODONTIA

<p>The impact of orthodontic treatment on a young person's quality of life, esthetics, and self-esteem in hypodontia: A longitudinal study</p> <p>The quality and reliability of the internet as a source of information for hypodontia patients [can be accessed on DOSS free by logging in on this page]</p>	<p>Am J Orthod Dentofac Orthop 2023; Aug 17</p> <p>J Orthod 2023; 50 (3): 268-275</p>
<p>Tooth autotransplantation with 3D-printed replicas as part of interdisciplinary management of children and adolescents: Two case reports</p> <p>Conservatively replacing missing anterior teeth with resin bonded ceramic restorations [Accessible from the Wiley link on this page]</p>	<p>Dent Traumatol 2023; 39 (Suppl. 1): 81-89</p> <p>J Esthet Restor Dent 2023; 35 (4): 567-576</p>
<p>Interdisciplinary treatment with implant-supported two-unit cantilever prosthesis for a patient with hypodontia: A clinical report [free to members on Science Direct. If you do not have a login email library@bda.org to request one]</p> <p>Replacement of two missing adjacent teeth with two single-retainer resin-bonded fixed dental prostheses with improved proximal design [can be accessed on DOSS free by logging in on this page]</p>	<p>J Prosthet Dent 2023; 129 (5): 676-680</p> <p>Int J Prosthodont 2023; 36 (2): 155-160</p>
<p>Controlled slicing for space closure in cases with congenitally missing second premolars (request using https://www.smartsurvey.co.uk/s/PJHMV/)</p> <p>A multidisciplinary approach for full-mouth rehabilitation in oligodontia: A clinical report [Accessible from the Journal of Oral Implantology link on this page]</p>	<p>J Clin Orthod 2023; 57 (4): 220-231</p> <p>J Oral Implantol 2023; 49 (2): 124-129</p>
<p>Space closure with single miniscrews in patients with upper lateral-incisor agenesis (request using https://www.smartsurvey.co.uk/s/PJHMV/)</p> <p>Management of hypodontia patient using a transitional implant: A case report</p>	<p>J Clin Orthod 2023; 57 (2): 1-17</p> <p>Int J Clin Pediatr Dent 2023; 16 (1): 186-189</p>
<p>Association between the severity of hypodontia and the characteristics of craniofacial morphology in a Chinese population: A cross-sectional study</p> <p>Non-syndromic hypodontia of maxillary lateral incisors and its association with other dental anomalies</p>	<p>Korean J Orthod 2023; 09 Mar</p> <p>Prog Orthod 2022; (23): 53</p>
<p>Oral rehabilitation of tooth agenesis frequently starts in paediatric dentistry. A retrospective analysis of 625 patients</p> <p>Association between hypodontia and Angle's malocclusions among orthodontic patients in Kathmandu, Nepal</p>	<p>Eur J Paediatr Dent 2022; 23 (4): 303-314</p> <p>Int J Dent 2022: 9595920</p>
<p>First cases of oligodontia as a manifestation of the Zika virus congenital syndrome [free to members on Science Direct. If you do not have a login email library@bda.org to request one]</p> <p>Adolescent and parent preferences for hypodontia: discrete choice experiment</p>	<p>Oral Surg Oral Med Oral Pathol Oral Radiol 2022; 134 (4): e261-e266</p> <p>J Dent Res 2022: 220345221111386</p>



Tooth agenesis in German orthodontic patients with non-syndromic craniofacial disorder: a retrospective evaluation of panoramic radiographs	Clin Oral Invest 2022; 26 (9): 5823-5832
Prevalence and management of patients with hypodontia: a cross-sectional study (request using https://www.smartsurvey.co.uk/s/PJHMV/)	J Clin Orthod 2022; 49 (3): 332-337
A multidisciplinary approach to maxillary lateral incisor agenesis (MLIA): a case report (request using https://www.smartsurvey.co.uk/s/PJHMV/)	Oper Dent 2022; 47 (4): 367b-374
Recording jaw relation of a pediatric patient with ectodermal dysplasia and complete anodontia using a digital mini arch tracer: A case report [Accessible from the Wiley link on this page]	J Prosthodont 2022; Aug 10
Agenesis of maxillary lateral incisors: diagnosis and treatment options	Dent Press J Orthod 2022; 27 (1): e22spe1
Space closure for congenitally missing lower second premolars using temporary anchorage devices (request using https://www.smartsurvey.co.uk/s/PJHMV/)	J Clin Orthod 2022; 56 (5): 268-284
Hypodontia and its impact on a young person's quality of life, esthetics, and self-esteem [free to members on Science Direct. If you do not have a login email library@bda.org to request one]	Am J Orthod Dentofac Orthop 2022; 161(2): 220-227
Interdisciplinary dental management of a patient with oligodontia and maxillary hypoplasia: a case report	BMC Oral Health 2022; 22 (1): 84
Patterns of molar agenesis associated with p.P20L and p.R77Q variants in PAX9 [Accessible from the Wiley link on this page]	Eur J Oral Sci 2022; 130 (2): e12855
Effects of missing teeth and nasal septal deviation on maxillary sinus volume: a pilot study	Int J Implant Dent 2022; 8 (1): 19
Interdisciplinary treatment of a class III patient with congenitally absent maxillary lateral incisors [Accessible from the Wiley link on this page]	J Esthet Restor Dent 2022; 34(3): 574-575
Craniofacial and oral manifestations of non-syndromic hypodontia: a review	Eur J Gen Dent 2022; 11 (1): 17-22
Relationship between craniofacial morphology and congenitally missing mandibular incisors	J Dent Sci 2022; Online 17 Feb - doi.org/10.1016/j.jds.2021.12.009
Camouflaging the permanent maxillary canine to substitute an absent lateral incisor - part 2: challenges and solutions [Log in to the BDA home page and follow the link to the BDJ to access]	BDJ 2022; 232 (2): 84-91
Camouflaging the permanent maxillary canine to substitute an absent lateral incisor - part 1: assessment and management [Log in to the BDA home page and follow the link to the BDJ to access]	BDJ 2022; 232 (1): 20-6
The global distribution of permanent canine hypodontia: a systematic review	Korean J Orthod 2021; 51 (1): 55-74
The prevalence and management of patients with hypodontia: a cross sectional study (request using https://www.smartsurvey.co.uk/s/PJHMV/)	J Orthod 2021; Dec 14 [Ahead of print]
Prevalence of hyperdontia, hypodontia, and concomitant hypo-hyperdontia	J Dent Sci 2021; 16(2): 713-770



HYPODONTIA

Are developmentally missing teeth a predictive risk marker of malignant diseases in non-syndromic individuals? A systematic review [can be accessed on DOSS free by logging in on this page]	J Orthod 2021; 48(3): 221-230
Trends in orthodontic management strategies for patients with congenitally missing lateral incisors and premolars	Angle Orthod 2021; 91 (4): 477-83
Parental perception on oral health-related quality of life and dental features of ectodermal dysplasia and isolated hypodontia in children	BMC Oral Health 2021; (21): 510
The influence of mild versus severe hypodontia on facial soft tissues? A three-dimensional optical laser scanning-based cohort study [can be accessed on DOSS free by logging in on this page]	J Orthod 2021; 48(1): 33-41
Managing restorative space, color matching, and tooth replacement with a novel implant through interdisciplinary treatment: A case report of partial anodontia and malformed teeth in the esthetic zone [Accessible from the Wiley link on this page]	J Esthet Restor Dent 2021; 33 (1): 185-93
Autotransplanted premolars with incomplete root formation in a growing patient with multiple missing teeth [free to members on Science Direct. If you do not have a login email library@bda.org to request one]	Am J Orthod Dentofac Orthop 2020; 158(4): 587-598
Space closure versus space opening for bilateral absent upper lateral incisors: what is the duration of orthodontic treatment? (request using https://www.smartsurvey.co.uk/s/PJHMV/)	Eur J Orthod 2020; 42(4): 460-465
Treatment of mandibular canine agenesis with bone-anchored protraction of posterior teeth (request using https://www.smartsurvey.co.uk/s/PJHMV/)	J Clin Orthod 2020; 54(7): 419-428
The congenitally missing second premolar: Space closure. A viable option [free to members on Science Direct. If you do not have a login email library@bda.org to request one]	Am J Orthod Dentofac Orthop 2020; 157(4): 571-583.e16
Prevalence of WNT10A gene mutations in non-syndromic oligodontia (request using https://www.smartsurvey.co.uk/s/PJHMV/)	Clin Oral Investig 2020; 23(7): 3103-3113
Aetiological evaluation of oligodontia in a three-generation family [can be accessed on DOSS free by logging in on this page]	Oral Health Prev Dent 2020; 18(2): 271-275
Essay I: Orthodontic edentulous space closure in all malocclusions [can be accessed on DOSS free by logging in on this page]	Int J Esthet Dent 2020; 15(Suppl. 1): S14-S31
Essay II: Space closure vs space preservation as it relates to craniofacial classification [can be accessed on DOSS free by logging in on this page]	Int J Esthet Dent 2020; 15(Suppl. 1): S32-S45
Association between craniofacial morphological patterns and tooth agenesis-related genes	Prog Orthod 2020; 21(1): 9
Comprehensive rehabilitation for a permanent tooth anodontia patient using an integrated digital approach [can be accessed on DOSS free by logging in on this page]	Int J Periodont Restor Dent 2020; 40(3): e111-e118
Familial oligodontia and regional odontodysplasia associated with a PAX9 initiation codon mutation	Clin Oral Investig 2019; 23(11): 4107-4111
Anatomical analysis of zygomatic bone in ectodermal dysplasia patients with oligodontia [can be accessed on DOSS free by logging in on this page]	Clin Implant Dent Relat Res 2019; 21(2): 310-316



HYPODONTIA

Prosthetic rehabilitation with fixed prosthesis of a 5-year-old child with hypohidrotic ectodermal dysplasia and oligodontia: a case report	J Med Case Rep 2019; 13(1): 329
Assessment of hypodontia treatment of maxillary lateral incisors in adult patients after 9 years of follow-up: a retrospective study [can be accessed on DOSS free by logging in on this page]	Int J Prosthodont 2019; (32): 9-13
Hypodontia, oligodontia and anodontia in West Virginia Appalachia [can be accessed on DOSS free by logging in on this page]	J Dent Hyg 2019; (93): 34-40
Hypodontia and retention of third molars in Norwegian medieval skeletons: dental radiography in osteoarchaeology (request using https://www.smartsurvey.co.uk/s/PJHMV/)	Acta Odontol Scand 2019; (77): 310-314
Management of missing maxillary lateral incisors in general practice: space opening versus space closure [Log in to the BDA home page and follow the link to the BDJ to access]	Br Dent J 2019; (226): 400-406
Association between severity of hypodontia and cephalometric skeletal patterns: a retrospective study [can be accessed on DOSS free by logging in on this page]	Int J Prosthodont 2019; (32): 20-26
Patient with asymmetric multiple hypodontia treated with autotransplantation of 2 premolars [free to members on Science Direct. If you do not have a login email library@bda.org to request one]	Am J Orthod Dentofac Orthop 2019; (155): 127-134
Esthetic and functional rehabilitation of bilateral congenital absence of maxillary lateral incisors: minimally invasive surgical and prosthetic approach [can be accessed on DOSS free by logging in on this page]	J Esthet Restor Dent 2019; (31): 5-12
Association between severity of hypodontia and cephalometric skeletal patterns: a retrospective study	Eur J Orthod 2018; (40): 200-205
Assessment of information resources for people with hypodontia	BDJ Open 2018; (4): 18001 doi:10.1038/bdjopen.2018.1
Identification and appraisal of outcome measures used to evaluate hypodontia care: A systematic review [free to members on Science Direct. If you do not have a login email library@bda.org to request one]	Am J Orthod Dentofac Orthop 2018; (153): 184-194
Conservative approach for treatment of maxillary lateral incisor agenesis with the deciduous tooth retained: 18-month follow-up (request using https://www.smartsurvey.co.uk/s/PJHMV/)	Oper Dent 2018; 43(2): 121-127
Long-term implant performance and patients' satisfaction in oligodontia [free to members on Science Direct. If you do not have a login email library@bda.org to request one]	J Dent 2018; (71): 18-24
Rare and common variants conferring risk of tooth agenesis	J Dent Res 2018; 97(5): 515-522
Is social media the way to empower patients to share their experiences of dental care? [free to members on Science Direct. If you do not have a login email library@bda.org to request one]	J Am Dent Assoc 2018; 149(6): 451-459.e9
Orthodontic space closure vs. implant-borne crowns in patients with congenitally missing maxillary lateral incisors (request using https://www.smartsurvey.co.uk/s/PJHMV/)	J Clin Orthod 2018; 52(5): 284-296
Effect of implant therapy on oral health-related quality of life (OHIP-49), health status (SF-36), and satisfaction of patients with several agenetic teeth: Prospective cohort study	Clin Implant Dent Relat Res 2018; (20): 592-597
Craniofacial shape differs in patients with tooth agenesis: geometric morphometric analysis	Eur J Orthod 2017; 39(4): 345-351



HYPODONTIA

Permanent tooth agenesis in non-syndromic Robin sequence and cleft palate: Prevalence and patterns	Clin Oral Invest 2017; 21: 2273-2281
Associations between ectodermal dysplasia, psychological distress and quality of life in a group of adults with oligodontia	Acta Odonto Scandi 2017; 75(8): 564-572
Success rates and complications of autologous onlay bone grafts and sinus lifts in patients with congenital hypodontia and after trauma [free to members on Science Direct. If you do not have a login email library@bda.org to request one]	Br J Oral Maxillofac Surg 2017; 55: 830-833
Evaluation of the skeletal and dental effects in orthodontic patients with maxillary lateral incisor agenesis [can be accessed on DOSS free by logging in on this page]	J Esthet Restor Dent 2017; 29: 284-290
Clinical and subjective evaluation of implants in patients with hypodontia: A two-year observation study [can be accessed on DOSS free by logging in on this page]	Clin Oral Impl Res 2017; 28: 1258-1262
A review of implant provision for hypodontia patients within a Scottish referral centre [Log in to the BDA home page and follow the link to the BDJ to access]	Br Dent J 2017; 223(2): 96-99
Maternal smoking during pregnancy is associated with offspring hypodontia [can be accessed on DOSS free by logging in on this page]	J Dent Res 2017; 96(9): 1014-1019
Contemporary surgical management of hypodontia [free to members on Science Direct. If you do not have a login email library@bda.org to request one]	Br J Oral Maxillofac Surg 2017; (55): 454-460
Dental anomaly patterns associated with tooth agenesis [can be accessed on DOSS free by logging in on this page]	Acta Odontol Scand 2017; 75(3): 161-165
Multidisciplinary management of hypodontia (request using https://www.smartsurvey.co.uk/s/PJHMV/)	Prim Dent J 2017; 6(1): 62-73
Conservative approaches to replacing congenitally missing maxillary lateral incisors: Case series [can be accessed on DOSS free by logging in on this page]	N Y State Dent J 2017; 83(2): 29-36
Contemporary surgical management of hypodontia [free to members on Science Direct. If you do not have a login email library@bda.org to request one]	Br J Oral Maxillofac Surg 2017; Epub ahead of print
The interdisciplinary management of hypodontia patients in the UK: A national service evaluation [Log in to the BDA home page and follow the link to the BDJ to access]	Br Dent J 2017; 222 (1): 31-35
Tooth agenesis in osteogenesis imperfecta related to mutations in the collagen type I genes [can be accessed on DOSS free by logging in on this page]	Oral Diseases 2017; 23: 42-49
Meta-analysis and systematic review of the number of non-syndromic congenitally missing permanent teeth per affected individual and its influencing factors	Eur J Orthod 2016; 38(2): 170-171
Esthetic restorations of multiple congenitally missing anterior teeth with oral implants: a clinical case report [can be accessed on DOSS free by logging in on this page]	Int J Prosthodont 2016; 29: 614-617
Development of a measure of hypodontia patients' expectation of the process and outcomes of combined orthodontic and restorative treatment [free to members on Science Direct. If you do not have a login email library@bda.org to request one]	J Dent 2016; 55: 114-120



HYPODONTIA

Evaluation of the orthodontic component of the hypodontia care pathway [can be accessed on DOSS free by logging in on this page]	J Orthod 2016; 43 (4): 268-275
Tooth replacement in young adults with severe hypodontia: orthodontic space closure, dental implants, and tooth-supported fixed dental prostheses. a follow-up study [free to members on Science Direct. If you do not have a login email library@bda.org to request one]	Am J Orthod Dentofac Orthop 2016; 150 (4): 620-6264
Craniofacial characteristics of children with mild hypodontia [free to members on Science Direct. If you do not have a login email library@bda.org to request one]	Am J Orthod Dentofac Orthop 2016; 150 (4): 611-619
The association between hypodontia and dental development	Clin Oral Invest 2016; (20): 1347-1354
A prospective study of the performance of resin bonded bridgework in patients with hypodontia [free to members on Science Direct. If you do not have a login email library@bda.org to request one]	J Dent 2016; (50): 69-73
Esthetic evaluation of implants vs canine substitution in patients with congenitally missing maxillary lateral incisors: are there any new insights? [free to members on Science Direct. If you do not have a login email library@bda.org to request one]	Am J Orthod Dentofac Orthop 2016; (150): 416-424
Mutation analysis by direct and whole exome sequencing in familial and sporadic tooth agenesis	Int J Molecular Med 2016; Sep 19 [Epub] doi: 10.3892/ijmm.2016.2742
Prevalence of third molar agenesis: associated dental anomalies in non-syndromic 5923 patients	PLoS ONE 2016; Aug 23 [Epub] doi: 10.1371/journal.pone.0162070
Prosthetic replacement vs space closure maxillary lateral incisor agenesis: A systematic review [free to members on Science Direct. If you do not have a login email library@bda.org to request one]	Am J Orthod Dentofac Orthop 2016; (150): 228-237
A digital approach to improved overdentures for the adolescent oligodontia patient [can be accessed on DOSS free by logging in on this page]	J Esthet Restor Dent 2016; 28(3): 144-156
Long-term esthetic evaluation of the roll flap technique in the implant rehabilitation of patients with agenesis of maxillary lateral incisors: 10-year follow-up [can be accessed on DOSS free by logging in on this page]	Int J Oral Maxillofac Implants 2016; (31): 820-826
Treatment options for congenitally missing lateral incisors [can be accessed on DOSS free by logging in on this page]	Eur J Oral Implantol 2016; 9(Suppl. 1): s5-s24
Prosthetic treatment outcome in patients with severe hypodontia: A systematic review [can be accessed on DOSS free by logging in on this page]	J Oral Rehab 2016; (43): 373-387
Hypodontia, a prospective predictive marker for tumor? [can be accessed on DOSS free by logging in on this page]	Oral Diseases 2016; (22): 265-273
Rehabilitation of a patient with non-syndromic partial oligodontia	J Adv Prosthodont 2016; (8): 241-250
Restoring congenitally missing maxillary lateral incisors using zirconia-based resin bonded prostheses [can be accessed on DOSS free by logging in on this page]	J Esthet Rest Dent 2016; 28 (1): 8-17
Prevalence of tooth agenesis in adolescent Chinese populations with or without orthodontics	Chin J Dent Res 2015; 18(1): 59-65
Hypodontia prevalence over four decades in a Slovenian population [can be accessed on DOSS free by logging in on this page]	J Esthet Restor Dent 2015; 27(1): 37-43



HYPODONTIA

The multidisciplinary management of hypodontia: A team approach [Log in to the BDA home page and follow the link to the BDJ to access]	Br Dent J 2015; 218(30): 143-149
Missing upper incisors: A retrospective study of orthodontic space closure versus implant	Prog Orthod 2015; (16): 2
Prevalence and distribution of dental anomalies: A comparison between maxillary and mandibular tooth agenesis [free to members on Science Direct. If you do not have a login email library@bda.org to request one]	Am J Orthod Dentofac Orthop 2015; (148): 793-798
The gene network underlying hypodontia [can be accessed on DOSS free by logging in on this page]	J Dent Res 2015; 94(7): 878-885
Prevalence and patterns of tooth agenesis in angle class ii division 2 malocclusion in Japan [free to members on Science Direct. If you do not have a login email library@bda.org to request one]	Am J Orthod Dentofac Orthop 2015; (148): 123-129
Implant-supported single crowns replacing congenitally missing maxillary lateral incisors: A 5-year follow-up [can be accessed on DOSS free by logging in on this page]	Clin Implant Dent Relat Rest 2015; 17 (6): 1134-1140
Epidemiology and genetics of hypodontia and microdontia: A study of twin families	Angle Orthod 2015; 85 (6): 980-985
Orthodontic approach to treat complex hypodontia using miniscrews in a growing patient	Dent Press J Orthod 2015; 20 (4): 82-90
Congenitally missing teeth (hypodontia): A review of the literature concerning the etiology, prevalence, risk factors, patterns and treatment	Dent Res J 2015; 12 (1): 1-13
Prevalence of hypodontia and associated factors: A systematic review and meta-analysis [can be accessed on DOSS free by logging in on this page]	J Orthod 2014; (41): 299-316
Prosthetic rehabilitation of congenitally missing canines: a case series [can be accessed on DOSS free by logging in on this page]	Quintessence Int 2014; 45 (10): 847-851
Discriminative ability of the generic and condition specific oral impact on daily performance (OIDP) among adolescents with and without hypodontia	BMC Oral Health 2014; (14): 57
Esthetic evaluation of implants placed after orthodontic treatment in patients with congenitally missing lateral incisors [can be accessed on DOSS free by logging in on this page]	J Esthet Rest Dent 2014; 26 (1): 61-71
Comparison of mesiodistal crown dimension and arch width in subjects with and without hypodontia [can be accessed on DOSS free by logging in on this page]	J Esthet Rest Dent 2013; 25 (3): 203-210
Digital analysis of anterior dental esthetic parameters in patients with bilateral maxillary lateral incisor agenesis [can be accessed on DOSS free by logging in on this page]	J Esthet Rest Dent 2013; 25 (3): 189-200
The impact of tooth agenesis on oral health-related quality of life in children [can be accessed on DOSS free by logging in on this page]	J Orthod 2013; (40): 122-129
A comparison of skeletal maturation in patients with tooth agenesis and unaffected controls assessed by the cervical vertebral maturation (CVM) index [can be accessed on DOSS free by logging in on this page]	J Orthod 2013; (40): 286-298
Tooth sizes in nonsyndromic hypodontia patients	Angle Orthod 2013 <u>83</u> 16-21



HYPODONTIA

Dental repercussions of maxillary lateral incisor agenesis	Eur J Orthod 2012; (34): 698-703
The impact of hypodontia: a qualitative study on the experiences of patients	Eur J Orthod 2012; (34): 547-552
Oral rehabilitation of tooth loss: a systematic review of quantitative studies of OHRQOL [can be accessed on DOSS free by logging in on this page]	Int J Prosthodont 2012 <u>25</u> 543-52
Radiographic study of prevalence and distribution of hypodontia in a pediatric orthodontic population in Venezuela [can be accessed on DOSS free by logging in on this page]	Ped Dent 2012 <u>34</u> 113-16
Implant-supported restoration of congenitally missing teeth using cancellous bone block-allografts [free to members on Science Direct. If you do not have a login email library@bda.org to request one]	Oral Surg Oral Med Oral Pathol 2011 111 286-291
Congenitally missing lateral incisors—a comparison between restorative, implant, and orthodontic approaches [free to members on Science Direct. If you do not have a login email library@bda.org to request one]	Dent Clin N Am 2011; 55 (2): 283-299
A treatment planning classification for oligodontia [can be accessed on DOSS free by logging in on this page]	Int J Prosthodont 2010; 23 (2): 99-106
Consequences of tooth loss: 2. Dentist considerations – restorative problems and implications (request using https://www.smartsurvey.co.uk/s/PJHMV/)	Dent Update 2010; 37 (1): 28-32
The aetiology of hypodontia: The prevalence, severity and location of hypodontia within families (request using https://www.smartsurvey.co.uk/s/PJHMV/)	Arch Oral Biol 2009; 54 (Supplement 1): s52-s56
Counselling patients with hypodontia (request using https://www.smartsurvey.co.uk/s/PJHMV/)	Dent Update 2008; (35): 344-352
Hypohyperdontia: Literature review and report of seven cases (request using https://www.smartsurvey.co.uk/s/PJHMV/)	Oral Surg Oral Med Oral Pathol 2008; (106): e24-e30
A study of patients attending a multidisciplinary hypodontia clinic over a five year period [Log in to the BDA home page and follow the link to the BDJ to access]	Br Dent J 2008; 205 (12): 649-652
Allergy as a possible predisposing factor for hypodontia	Eur J Orthod 2008; (30): 641-644
Familial human hypodontia – is it all in the genes? [Log in to the BDA home page and follow the link to the BDJ to access]	Br Dent J 2007; 203 (4): 203-208
Patterns of missing teeth in a population of oligodontia patients [can be accessed on DOSS free by logging in on this page]	Int J Prosthodont 2007 (20) 409-413
The management of ectodermal dysplasia and severe hypodontia. international conference statements [can be accessed on DOSS free by logging in on this page]	J Oral Rehab 2006 33 634-637
Management of a patient with hypodontia, using implants and all-ceramic restorations: A clinical report (request using https://www.smartsurvey.co.uk/s/PJHMV/)	J Prosthet Dent 2006 95(3) 186-189
Alternative oral rehabilitation of children with hypodontia and conical tooth shape: a clinical report (request using https://www.smartsurvey.co.uk/s/PJHMV/)	Quint Int 2006; 37 (9): 725-730



HYPODONTIA

Survival of resin-bonded bridgework provided for post-orthodontic hypodontia patients with missing maxillary lateral incisors [Log in to the BDA home page and follow the link to the BDJ to access]	Br Dent J 2006 201(8) 527-534
Prosthodontic treatment of patients with hypodontia	CDA J 2006 34(9) 727-733
Severe hypodontia in a set of triplets [Log in to the BDA home page and follow the link to the BDJ to access]	Br Dent J 2006 201(6) 93-96
A numeric code for identifying patterns of human tooth agenesis: A new approach [can be accessed on DOSS free by logging in on this page]	Eur J Oral Sci 2006 (114) 97-101
Gene discovery for dental anomalies [free to members on Science Direct. If you do not have a login email library@bda.org to request one]	J Am Dent Assoc 2006 (137) 743-752