



HYPERSENSITIVITY

<p>Gingival hypersensitivity reactions to toothpastes: A case series and scoping review [free to members on Science Direct. If you do not have a login email library@bda.org to request one]</p>	J Am Dent Assoc 2024; 155 (3): 213-26
<p>Hypomineralized teeth have a higher frequency of dental hypersensitivity [can be accessed on DOSS free by logging in on this page]</p>	Pediatric Dentistry 2021; 43(3): 218-222
<p>Hypersensitivity reaction of the gingiva to chlorhexidine: case report and literature review [free to members on Science Direct. If you do not have a login email library@bda.org to request one]</p>	Oral Surg Oral Med Oral Pathol Oral Radiol 2020; 130(2): 156-160
<p>Does metal hypersensitivity have relevance in patients undergoing TMJ prosthetic replacement? [free to members on Science Direct. If you do not have a login email library@bda.org to request one]</p>	J Oral Maxillfac Surg 2020; 78(6): 908-915
<p>Symptoms of titanium and nickel allergic sensitization in orthodontic treatment</p>	Prog Orthod 2020; 21(1): 17
<p>Allergic reaction from dental bonding material through nitrile gloves: Clinical case study and glove permeability testing (request using https://www.smartsurvey.co.uk/s/PJHMV/)</p>	J Esthet Restor Dent 2020; 32(4): 371-379
<p>Smell and taste in titanium and nickel allergic sensitization in orthodontic patients</p>	Orthod Craniofac Res 2020; 23(4): 517-522
<p>Low-power laser and potassium oxalate gel in the treatment of cervical dentin hypersensitivity — a randomized clinical trial (request using https://www.smartsurvey.co.uk/s/PJHMV/)</p>	Clin Oral Investig 2020; (24): 4463-4473
<p>Revision temporomandibular joint arthroplasty for the treatment of acquired metal allergy and review of the literature [free to members on Science Direct. If you do not have a login email library@bda.org to request one]</p>	Int J Oral Maxillofac Surg 2020; 49(3): 356-360
<p>Adverse reaction to local anaesthetics: Is it always allergy? (request using https://www.smartsurvey.co.uk/s/PJHMV/)</p>	Oral Dis 2020; 26(6): 1340-1342
<p>Contact allergies to dental materials</p>	Swiss Dent J 2019; 129(7-8): 571-579
<p>Material hypersensitivity and alloplastic temporomandibular joint replacement [free to members on Science Direct. If you do not have a login email library@bda.org to request one]</p>	J Oral Maxillofac Surg 2019; 77(7): 1371-1376
<p>Chlorhexidine allergy: raising awareness about rare but potentially life-threatening reactions (request using https://www.smartsurvey.co.uk/s/PJHMV/)</p>	Gen Dent 2019; 67(2): 7-10
<p>Allergic manifestations to local anaesthetic agents for dental anaesthesia in children: a review and proposal of a new algorithm (request using https://www.smartsurvey.co.uk/s/PJHMV/)</p>	Eur J Paediatr Dent 2019; 20(1): 48-52
<p>Five hundred patients reporting on adverse effects from dental materials: Frequencies, complaints, symptoms, allergies [free to members on Science Direct. If you do not have a login email library@bda.org to request one]</p>	Dent Mater 2018; 34(12): 1756-1766



HYPERSENSITIVITY

<p>Review: allergic contact stomatitis [free to members on Science Direct. If you do not have a login email library@bda.org to request one]</p>	<p>Oral Surg Oral Med Oral Pathol Oral Radiol 2017; 123(5): 559-565</p>
<p>Adverse reactions to orthodontic materials</p> <p>*****</p>	<p>Aust Dent J 2017; 62(Suppl 1): 20-28</p> <p>*****</p>
<p>Clinical characteristics of an allergic reaction to a polyether dental impression material [free to members on Science Direct. If you do not have a login email library@bda.org to request one]</p>	<p>J Prosthet Dent 2017; 117: 470-472</p>
<p>Investigation and diagnosis of an immediate allergy to amide local anaesthetic in a paediatric dental patient</p>	<p>Aust Dent J 2017; 62: 241-245</p>
<p>Hypersensitivity to dental composites and resin-bonding agents (request using https://www.smartsurvey.co.uk/s/PJHMV/)</p>	<p>Dent Update 2016; 43: 836-842</p>
<p>Nickel-free vs conventional braces for patients allergic to nickel: Gingival and blood parameters during and after treatment [free to members on Science Direct. If you do not have a login email library@bda.org to request one]</p>	<p>Am J Orthod Dentofac Orthop 2016; 150: 1014-9</p>
<p>Natural rubber latex allergies from dental local anaesthetic: a review and guidance for the dental practitioner (request using https://www.smartsurvey.co.uk/s/PJHMV/)</p>	<p>Dent Update 2016; 43: 753-758</p>
<p>Allergy to chlorhexidine (request using https://www.smartsurvey.co.uk/s/PJHMV/)</p>	<p>Dent Update 2016; 43: 272-274</p>
<p>Treatment of adult Class II division 2 patient with metal hypersensitivity</p>	<p>Angle Orthodont 2014; 84 (5): 902-9</p>
<p>Titanium hypersensitivity: a hidden threat for dental implant patients? [can be accessed on DOSS free by logging in on this page]</p>	<p>New York State Dent J 2013; (June/July): 38-43</p>
<p>Is titanium sensitivity associated with allergic reactions in patients with dental implants? A systematic review [can be accessed on DOSS free by logging in on this page]</p>	<p>Clin Implant Dent Rel Res 2013; 15 (1): 47-52</p>
<p>Chlorhexidine and hypersensitivity reactions in dentistry [Log in to the BDA home page and follow the link to the BDJ to access]</p>	<p>Br Dent J 2012; 213 (11): 547-550</p>
<p>Allergic reactions associated with metal alloys in porcelain-fused-to-metal fixed prosthodontic devices – a systematic review [can be accessed on DOSS free by logging in on this page]</p>	<p>Quint Int 2012; (43): 871-7</p>
<p>A case of drug-induced hypersensitivity syndrome due to carbamazepine</p>	<p>Bull Tokyo Dent Coll 2011; 52 (3): 135-142</p>
<p>Allergic reactions and nickel-free braces: a systematic review</p>	<p>Braz Oral Res 2011; 25 (1): 85-90</p>
<p>A review of the pathophysiology, diagnosis, and management of allergic reactions in the dental office [can be accessed on DOSS free by logging in on this page]</p>	<p>Quintessence Int 2011; (42): 149-156</p>
<p>The effect of a novel crystallised bioactive glass-ceramic powder on dentine hypersensitivity: a long-term clinical study [can be accessed on DOSS free by logging in on this page]</p>	<p>J Oral Rehab 2011; 38(4): 253-262</p>



HYPERSENSITIVITY

Comparative assessment of the sealing ability of Nd:YAG laser versus a new desensitizing agent in human dentinal tubules: a pilot study [can be accessed on DOSS free by logging in on this page]	Odontology 2011; (99): 45-48
Allergic palmoplantar pustulosis caused by cobalt in cast dental crowns: a case report [free to members on Science Direct. If you do not have a login email library@bda.org to request one]	Oral Surg Oral Med Oral Pathol 2011; (111): e8-e10
Titanium allergy: could it affect dental implant integration? [can be accessed on DOSS free by logging in on this page]	Clin Oral Impl Res 2011; 22(7): 673-680
Allergy to local anaesthetic agents used in dentistry – what are the signs, symptoms, alternative diagnoses and management options? (request using https://www.smartsurvey.co.uk/s/PJHMV/)	Dent Update 2011; (38): 410-412
Face and neck dermatitis from a stainless steel orthodontic appliance	Angle Orthodont 2009; 79 (6): 1194-1196
Prevalence of nickel allergy and longitudinal evaluation of periodontal abnormalities in orthodontic allergic patients	Angle Orthodont 2009 (79): 922-927
Latex hypersensitivity: a closer look at considerations for dentistry	J Can Dent Assoc 2009 75(4): 279-282
An unusual case of immediate hypersensitivity reaction associated with an amalgam restoration [Log in to the BDA home page and follow the link to the BDJ to access]	Br Dent J 2008 (205) 547-550
Suspected association of an allergic reaction with titanium dental implants: a clinical report (request using https://www.smartsurvey.co.uk/s/PJHMV/)	J Prosthet Dent 2008 (100) 344-347
Contact allergy to cinnamon: a case report	J Can Dent Assoc 2008 74(5) 445-448
Titanium allergy in dental implant patients: a clinical study on 1500 consecutive patients [can be accessed on DOSS free by logging in on this page]	Clin Oral Impl Res 2008 19(8) 823-835
Discovering new treatments for sensitive teeth: the long path from biology to therapy [can be accessed on DOSS free by logging in on this page]	J Oral Rehab 2008 (35) 300-315
Natural rubber latex allergy: implications for the orthodontist [can be accessed on DOSS free by logging in on this page]	J Orthod 2007 (34) 6-11
Treatment of a patient with metal hypersensitivity after orthognathic surgery	Angle Orthod 2007 77(5) 923-930
Quantitative analysis of allergenic ingredients in eulate extracted from used denture base resin [can be accessed on DOSS free by logging in on this page]	J Oral Rehab 2006 (33) 216-220
Nickel allergy and orthodontics, a review and report of two cases [Log in to the BDA home page and follow the link to the BDJ to access]	Br Dent J 2008 (204) 297-300
Dentinal hypersensitivity: a review	Aust Dent J 2006 51(3) 212-218
Allergy to auto-polymerized acrylic resin in an orthodontic patient (request using https://www.smartsurvey.co.uk/s/PJHMV/)	Am J Orthod Dentofac Orthop 2006 (129) 431-435



HYPERSENSITIVITY

Tooth brushing, tooth wear and dentine hypersensitivity – are they associated?	Int Dent J 2005 (55) 261-267
Changes in health over time in patients with symptoms allegedly caused by their dental restorative materials [can be accessed on DOSS free by logging in on this page]	Comm Dent Oral Epidemiol 2005 (33) 427-37
A follow-up study of patients with subjective symptoms related to dental materials [can be accessed on DOSS free by logging in on this page]	Community Dent Oral Epidemiol 2005 <u>33</u> 227-34
Contact stomatitis due to palladium in dental alloys: a clinical report (request using https://www.smartsurvey.co.uk/s/PJHMV/)	J Prosthet Dent 2005 <u>93</u> 318-20
Use of a light-polymerized composite removable partial denture base for a patient hypersensitive to poly(methyl methacrylate), polysulfone, and polycarbonate: a clinical report (request using https://www.smartsurvey.co.uk/s/PJHMV/)	J Prosthet Dent 2005 <u>93</u> 17-20
Clinical response to allergies in patients (request using https://www.smartsurvey.co.uk/s/PJHMV/)	Am J Orthod Dentofac Orthoped 2004 <u>125</u> 544-7
An overview of the current status of national reporting systems for adverse reactions to dental materials (request using https://www.smartsurvey.co.uk/s/PJHMV/)	J Dent 2004 <u>32</u> 351-8
Four years of clinical experience with an adverse reaction unit for dental biomaterials [can be accessed on DOSS free by logging in on this page]	Community Dent Oral Epidemiol 2004 <u>32</u> 150-7
Allergic reaction to intranasal midazolam HCl: a case report (request using https://www.smartsurvey.co.uk/s/PJHMV/)	Ped Dent 2004 <u>26</u> 359-61
Hypersensitivity to metals in orthodontics (request using https://www.smartsurvey.co.uk/s/PJHMV/)	Am J Orthod Dentofac Orthoped 2004 <u>126</u> 58-64
Patients' choice of dental treatment following examination at a specialty unit for adverse reactions to dental materials [can be accessed on DOSS free by logging in on this page]	Acta Odontol Scand 2004 <u>62</u> 258-63
Orofacial reaction to methacrylates in dental materials: a clinical report (request using https://www.smartsurvey.co.uk/s/PJHMV/)	J Prosthet Dent 2003 <u>90</u> 225-7
Glutaraldehyde-induced and formaldehyde-induced allergic contact dermatitis among dental hygienists and assistants [free to members on Science Direct. If you do not have a login email library@bda.org to request one]	JADA 2003 <u>134</u> 1072-8
Prosthetic biomaterials and adverse reactions: a critical review of the clinical and research literature [can be accessed on DOSS free by logging in on this page]	Acta Odontol Scand 2002 <u>60</u> 1-9
Reported latex allergy in dental patients (request using https://www.smartsurvey.co.uk/s/PJHMV/)	Oral Surg Oral Med Oral Pathol 2002 <u>93</u> (2) 144-148
Local anaesthetic cartridges and latex allergy: a literature review	J Can Dent Assoc 2002 <u>68</u> (10) 622-626
Drugs for treating allergic reactions (request using https://www.smartsurvey.co.uk/s/PJHMV/)	Oral Maxillofac Surg Clin N Am 2001 <u>13</u> (1) 43-47



HYPERSENSITIVITY

Plaque, gingival health and post-operative sensitivity in titanium inlays and onlays: a randomized controlled clinical trial (request using https://www.smartsurvey.co.uk/s/PJHMV/)	J Dent 2001 <u>29</u> 181-186
Patients with local adverse effects from dental alloys: frequency, complaints, symptoms, allergy [can be accessed on DOSS free by logging in on this page]	Clin Oral Invest 2001 (5)4: 240-249
Anaphylactic shock during endodontic treatment due to allergy to formaldehyde in a root canal sealant (request using https://www.smartsurvey.co.uk/s/PJHMV/)	J Endod 2000 <u>26</u> (9) 529-531
Adverse reaction to dental local anaesthetic injection – ‘allergy’ is not the cause [Log in to the BDA home page and follow the link to the BDJ to access]	Br J Dent 2000 <u>189</u> 380-384
Cinnamon-induced oral erythema multiformelike sensitivity reaction [free to members on Science Direct. If you do not have a login email library@bda.org to request one]	J Am Dent Assoc 2000 <u>131</u> 929-934
Immunologic evaluation of dental patient with history of hypersensitivity reaction to sodium hypochlorite [can be accessed on DOSS free by logging in on this page]	Endod Dent Traumatol 2000 <u>16</u> 184-187
Allergy to local anaesthetic: the importance of thorough investigation [Log in to the BDA home page and follow the link to the BDJ to access]	Br Dent J 2000 <u>188</u> (3) 120-2
Delayed and immediate hypersensitivity reactions associated with the use of amalgam [Log in to the BDA home page and follow the link to the BDJ to access]	Br Dent J 2000 <u>188</u> (2) 73-6
Latex allergy – a review for the dental professional (request using https://www.smartsurvey.co.uk/s/PJHMV/)	Oral Surg Oral Med Oral Pathol 1999 <u>87</u> 5-11
Prevalence of self-reported hand eczema and skin symptoms associated with dental materials among Swedish dentists [can be accessed on DOSS free by logging in on this page]	Eur J Oral Sci 1999 <u>107</u> 496-505
A long-term follow-up of allergy to nickel among fixed prostheses wearers (request using https://www.smartsurvey.co.uk/s/PJHMV/)	Eur J Prosthodont Rest Dent 1999 <u>7</u> (2/3) 41-4
Management of the latex hypersensitive patient in the endodontic office (request using https://www.smartsurvey.co.uk/s/PJHMV/)	J Endod 1999 <u>25</u> (12) 825-8
Case report – hypersensitivity to denture materials [Log in to the BDA home page and follow the link to the BDJ to access]	Br Dent J 1999 <u>187</u> (7) 350-352
The dental team and latex hypersensitivity [free to members on Science Direct. If you do not have a login email library@bda.org to request one]	J Am Dent Assoc 1999 <u>130</u> (2) 257-64
Allergic reactions to lignocaine [Log in to the BDA home page and follow the link to the BDJ to access]	Br Dent J 1999 <u>186</u> (5) 224-226
Allergic reactions: increasing immunological problems for health care providers and patients	CDA J 1998 <u>26</u> (4) 273-279



HYPERSENSITIVITY

Hand dermatitis and symptoms from the fingers among swedish dental personnel (request using https://www.smartsurvey.co.uk/s/PJHMV/)	Swed Dent J 1998 <u>22</u> 23-32
Alleged allergy to local anaesthetic drugs [Log in to the BDA home page and follow the link to the BDJ to access]	Br Dent J 1998 <u>184</u> (10) 507-510
Intraoral contact allergy: a literature review and case reports [free to members on Science Direct. If you do not have a login email library@bda.org to request one]	J Am Dent Assoc 1998 <u>129</u> (10) 1435-1441
Nickel hypersensitivity reaction before, during and after orthodontic therapy (request using https://www.smartsurvey.co.uk/s/PJHMV/)	Am J Orthod Dentofacial Orthop 1998 <u>113</u> (6) 655-60
Noted in sweden: a stockholm dentist reports on recent advice about allergy and dental composites (request using https://www.smartsurvey.co.uk/s/PJHMV/)	The Dentist 1998 <u>4</u> (4) 20-24
Skin and mucosal reactions associated with dental materials [can be accessed on DOSS free by logging in on this page]	Eur J Oral Sci 1998 <u>106</u> 707-712
The dental management of patients with natural rubber latex allergy (request using https://www.smartsurvey.co.uk/s/PJHMV/)	Br Dent J 1998 <u>185</u> (2) 65-69